


We claim:

1. A fungicidal mixture for controlling harmful fungi, which mixture comprises

5 1) the triazolopyrimidine derivative of the formula I



and

2) flutolanil of the formula II



II

10

in a synergistically effective amount.

2. The fungicidal mixture as claimed in claim 1, comprising the compound of the
15 formula I and the compound of the formula II in a weight ratio of from 100:1 to
1:100.

3. A fungicidal composition, comprising a liquid or solid carrier and a mixture as
claimed in claim 1 or 2.

20

4. A method for controlling harmful fungi, which comprises treating the fungi, their
habitat or the seed, the soil or the plants to be protected against fungal attack
with an effective amount of the compound I and the compound II as set forth in
claim 1.

25

5. The method according to claim 4, wherein the compounds I and II as set forth in
claim 1 are applied simultaneously, that is jointly or separately, or in succession.

30

6. The method according to claim 4, wherein the mixture as claimed in claim 1 or 2
is applied in an amount of from 5 g/ha to 1000 g/ha.

7. The method according to any of claims 4 to 6, wherein rice-pathogenic harmful fungi are controlled.
8. The method according to claim 4 or 5, wherein the mixture as claimed in claim 1 or 2 is applied in an amount of from 1 to 1000 g/100 kg of seed.
5
9. Seed, comprising the mixture as claimed in claim 1 or 2 in an amount of from 1 to 1000 g/100 kg.
10. The use of the compounds I and II as set forth in claim 1 for preparing a composition suitable for controlling harmful fungi.
10